



42 rue Benoît Frachon
93013 Bobigny Cedex France
www.peters-surgical.com

tél. : +33 (0)1 48 10 62 62
fax : +33 (0)1 48 91 22 99
e-mail : peters@peters-surgical.com

Ref. : DECCE139G-01

DECCE139G-01 annule et remplace (*Cancels and replaces*) : DECCE139G-00

DECLARATION CE DE CONFORMITE

EC DECLARATION OF CONFORMITY

Nous

We

PETERS SURGICAL

Déclarons sous notre entière responsabilité que les dispositifs médicaux :

Declare under our sole responsibility that the medical devices:

Sutures et ligatures chirurgicales résorbables
Absorbable surgical sutures and ligatures

(voir liste des dispositifs médicaux ci-joint)

(Refer to list of medical devices here attached)

sont en conformité avec les exigences essentielles figurant à l'annexe 1 du décret n° 95.292 du 16 mars 1995 et qui leur sont applicables, transposant en droit français la Directive 93/42/CEE du conseil du 14 juin 1993 relative aux dispositifs médicaux.

comply with the essential requirements of the annex 1 which apply to them from the decree n° 95.292 of March 16, 1995 transposing in French law the council Directive 93/42/EEC June 14, 1993 concerning medical devices.

La conformité de ces produits de classe III (selon les règles de classification de l'annexe IX et l'usage prévu par le fabricant) a été établie conformément à l'annexe II points 3 et 4 de la directive 93/42/CEE.

The conformity of these class III products (classification rules of annex IX of above Directive) has been assessed according to annex II sections 3 and 4 of the directive 93/42/EEC.

Certificats délivrés par l'organisme notifié GMED (enregistré sous le n° 0459) – 1 rue Gaston Boissier – 75015 Paris – France

Certificates delivered by notified body GMED (registered under number 0459) – 1 rue Gaston Boissier – 75015 Paris – France

- Attestation CE n° 36018
- Attestation CE n° 9072

- *EC certificate no. 36018*
- *EC certificate no. 9072*

Date : 2020-09-04

Le représentant du fabricant / *On behalf of the manufacturer:*

Marie COMPAGNON-RIOBÉ
Directrice Affaires Réglementaires Groupe
Group Regulatory Affairs Director

GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

-----25/09/2020-----

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

DocuSigned by:

Fatimazahra MESKINI

D598AE20976548A...



42 rue Benoît Frachon
93013 Bobigny Cedex France
www.peters-surgical.com

tél. : +33 (0)1 48 10 62 62
fax : +33 (0)1 48 91 22 99
e-mail : peters@peters-surgical.com

REFERENCE	DESIGNATION	CLASSE CLASS	ATTESTATIONS CE EC CERTIFICATES	DOSSIER TECHNIQUE TECHNICAL FILE
12xxx	OPTIME® \mathcal{R}	III	II.3 36018 II.4 :9072	DT/SU/07 Version 04
14xxx	MONOTIME®	III	II.3 36018 II.4 :9072	DT/SU/07 Version 04
15xxx	ADVANTIME®	III	II.3 36018 II.4 :9072	DT/SU/07 Version 04
18xxx	OPTIME®	III	II.3 36018 II.4 :9072	DT/SU/07 Version 04
39xxx	GLACTIME®	III	II.3 36018 II.4 :9072	DT/SU/07 Version 04
81xx	SINUSORB® PGA	III	II.3 36018 II.4 :9072	DT/SU/07 Version 04
S00Axxx	DENTABS	III	II.3 36018 II.4 :9072	DT/SU/07 Version 04

**GMED (0459) reconnaît que son certificat CE est
valide pour les dispositifs médicaux décrits**

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

**GMED (0459) recognizes that its EC certificate is
valid for the medical devices listed**

15609AB20976548A...



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits

-----25/09/2020-----

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

42 rue Benoît Frachon
93013 Bobigny Cedex France
www.peters-surgical.com

tél. : +33 (0)1 48 10 62 62
fax : +33 (0)1 48 91 22 99
e-mail : peters@peters-surgical.com

DocuSigned by:

Fatimazahra MESKINI

B5C6AB20976548A...

Range			Packaging		Thread			Needle				
Range	Range code	Molecule	Unit qty per box	Sub family	Thread qty	Thread Size (USP)	Thread length (cm)	Needles quantity	Needle length (mm)	Needle curvature	Needle tip	Needle color
Optime®	18....	PGA braid + coating with epsilon-caprolactone and calcium stearate (violet dyed or undyed)	36	Alu for suture	1	6/0 to 2	45 to 150	1 or 2 standard or loop sutures	8 to 70	1/2 3/8 5/8 straight	taper (R) lasershape taper cutting (KL) cutting (T) blunt (mousse/BP)	silver or Extrablack
			36	Alu for strands	up to 12 (depending of the length (see length description))		For USP 2: up to 3,5m (5 x 70) Up to USP 1: up 5,4m (12 x 45)	without	NA	NA	NA	NA
			24	Alu for Filpak	1		5/0 to 2	150 to 250	without	NA	NA	NA
Optime® SD	18...SD	PGA braid + coating with epsilon-caprolactone and calcium stearate (violet dyed or undyed)	12	Alu for suture	1	6/0 to 2	45 to 150	1 or 2 standard or loop sutures	8 to 70	1/2 3/8 5/8 straight	taper (R) lasershape taper cutting (KL) cutting (T) blunt (mousse/BP)	silver or Extrablack



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits

25/09/2020

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

DocuSigned by:

42 rue Benoît Frachon

93013 Bobigny Cedex France

www.peters-surgical.com

tél. : +33 (0)1 48 10 62 62

fax : +33 (0)1 48 91 22 99

e-mail : peters@peters-surgical.com

Fatimazabra MESKINI

150C8AB20976548A...

Range			Packaging		Thread			Needle				
Range	Range code	Molecule	Unit qty per box	Sub family	Thread qty	Thread Size (USP)	Thread length (cm)	Needles quantity	Needle length (mm)	Needle curvature	Needle tip	Needle color
Dentabs	S00A...	PGA braid + coating with epsilon-caprolactone and calcium stearate (violet dyed)	12	Alu for suture	1	5/0 to 3/0	70	1	11 to 20	1/2 3/8	cutting (T)	silver
Optime® R Gamma	12...	PGA braid + coating with epsilon-caprolactone and calcium stearate or coated with poly(glycolide-co-lactide) (30/70) and calcium stearate. (undyed)	36	Alu for suture	1	6/0 to 1	45 to 90	1	11 to 60	1/2, 3/8 straight	taper (R) taper cutting (KL) cutting (T) Extracut (XT)	silver or Extrablack
Optime® R OE	12...M	poly(glycolide-co-lactide) (30/70) and calcium stearate. (undyed)	36	Alu for suture	1	6/0 to 1	45 to 90	1	11 to 60	1/2, 3/8 straight	taper (R)taper cutting (KL)cutting (T)Extracut (XT)	silver or Extrablack
Advantime®	15...	PGA-PCL25 Monofilament (violet dyed or undyed)	36	Alu for suture	1	6/0 to 1	45 to 110	1 or 2	10 to 60	1/2, 3/8 5/8 straight	taper (R), taper cutting (KL) cutting (T) Extracut (XT)	silver
			24	Alu for Filpak	1	3/0 to 1	250	without	NA	NA	NA	NA



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits

-----25/09/2020-----

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

42 rue Benoît Frachon

93013 Bobigny Cedex France

DocuSigned by:

Fatimazabra MESKIM

peters-surgical.com

D5C8AB20976548A...

tél. : +33 (0)1 48 10 62 62

fax : +33 (0)1 48 91 22 99

e-mail : peters@peters-surgical.com

Range			Packaging		Thread			Needle				
Range	Range code	Molecule	Unit qty per box	Sub family	Thread qty	Thread Size (USP)	Thread length (cm)	Needles quantity	Needle length (mm)	Needle curvature	Needle tip	Needle color
Monotime®	14...	PDO Monofilament (violet dyed)	36	Alu for suture	1	7/0 to 2	30 to 150	1 or 2 standard or loop sutures	6,4 to 60	1/2, 3/8 straight	taper (R) taper cutting (KL), cutting (T)	silver or Extrablack
Sinusorb® PGA	81...	For USP ≥8/0: PGA braid + coated with epsilon caprolactone and calcium stearate or For USP 9/0 and USP 10/0: PGA monofilament (violet dyed or undyed)	12	Alu for suture	1	7/0 to 4/0	15 to 45	1	4 to 19	1/2, 1/4 3/8	taper (R) Spatula (SP), cutting (T)	silver
			12	Alu for dogbone	1	10/0 to 4/0		1 or 2				
Glactime®	39...	PGLA braid + coating with copolymer of glycolic and lactic acids and calcium stearate (violet dyed or undyed)	36	Alu for suture	1	6/0 to 2	45 to 150	1 or 2 standard or loop sutures	10 to 70	1/2 3/8 5/8 straight	taper (R), Lasershape taper cutting (KL) cutting (T) blunt (mousse)	silver or Extrablack
			24	Alu for Filpak	1	5/0 to 2	150 to 250	without	NA	NA	NA	NA



42 rue Benoît Frachon
93013 Bobigny Cedex France
www.peters-surgical.com

tél. : +33 (0)1 48 10 62 62
fax : +33 (0)1 48 91 22 99
e-mail : peters@peters-surgical.com

NOTE: SD signifie ces références sont mise à disposition des utilisateurs, sous une autre marque.
NOTE: SD stands for another private label



LISTE DES RÉFÉRENCES
ANNEXE DE LA DECCE139G-01

GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

-----25/09/2020-----

DocuSigned by:

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

ES:AB20976548A...



GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

-----25/09/2020-----

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

DocuSigned by:

Fatimazahra MESKINI

55C8AB20976548A...

12xxx	OPTIME® R							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
12D10A	5/0	3/8	XT	11	/	45CM	/	Alu for suture
12D20A	3/0	DTE	XT	50	/	75CM	/	Alu for suture
12N15G	4/0	1/2	R	22	/	75CM	BLACK	Alu for suture
12N20G	3/0	1/2	R	22	/	75CM	BLACK	Alu for suture
12S07A	6/0	3/8	T	11	/	75CM	/	Alu for suture
12S07B	6/0	3/8	T	11	/	45CM	/	Alu for suture
12S10B	5/0	3/8	T	13	/	75CM	/	Alu for suture
12S10C	5/0	3/8	KL	14	/	75CM	/	Alu for suture
12S10D	5/0	3/8	T	16	/	75CM	/	Alu for suture
12S10E	5/0	3/8	T	13	/	45CM	/	Alu for suture
12S15A	4/0	DTE	T	50	/	75CM	/	Alu for suture
12S15B	4/0	3/8	T	24	/	75CM	/	Alu for suture
12S15C	4/0	3/8	KL	18	/	75CM	/	Alu for suture
12S15D	4/0	3/8	T	13	/	75CM	/	Alu for suture
12S15DM	4/0	3/8	T	13	/	75CM	/	Alu for suture
12S15E	4/0	3/8	T	16	/	75CM	/	Alu for suture
12S15F	4/0	3/8	T	19	/	75CM	/	Alu for suture
12S15G	4/0	1/2	R	22	/	75CM	/	Alu for suture
12S15H	4/0	3/8	KL	16	/	75CM	/	Alu for suture
12S15HM	4/0	3/8	KL	16	/	75CM	/	Alu for suture
12S15K	4/0	1/2	T	16	/	75CM	/	Alu for suture
12S15R	4/0	3/8	KL	13	/	75CM	/	Alu for suture
12S20A	3/0	DTE	T	50	/	75CM	/	Alu for suture
12S20B	3/0	3/8	T	24	/	75CM	/	Alu for suture
12S20BM	3/0	3/8	T	24	/	75CM	/	Alu for suture
12S20C	3/0	3/8	KL	18	/	75CM	/	Alu for suture
12S20CM	3/0	3/8	KL	18	/	75CM	/	Alu for suture
12S20D	3/0	3/8	T	30	/	90CM	/	Alu for suture
12S20E	3/0	3/8	T	16	/	75CM	/	Alu for suture
12S20F	3/0	3/8	T	19	/	75CM	/	Alu for suture
12S20FM	3/0	3/8	T	19	/	75CM	/	Alu for suture
12S20G	3/0	1/2	R	22	/	75CM	/	Alu for suture
12S20GM	3/0	1/2	R	22	/	75CM	/	Alu for suture
12S20K	3/0	1/2	T	22	/	75CM	/	Alu for suture
12S20L	3/0	1/2	R	30	/	75CM	/	Alu for suture
12S20Q	3/0	1/2	KL	22	/	75CM	/	Alu for suture
12S30A	2/0	1/2	KL	36	/	90CM	FIN	Alu for suture
12S30AL	2/0	1/2	KL	36	/	90CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits — DocuSigned by:

-----25/09/2020-----

Fatimazabra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

12xxx	OPTIME® R							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
12S30ALM	2/0	1/2	KL	36	/	90CM	/	Alu for suture
12S30AM	2/0	1/2	KL	36	/	90CM	FIN	Alu for suture
12S30B	2/0	DTE	T	50	/	75CM	/	Alu for suture
12S30C	2/0	3/8	T	24	/	75CM	/	Alu for suture
12S30CM	2/0	3/8	T	24	/	75CM	/	Alu for suture
12S30D	2/0	3/8	T	30	/	90CM	/	Alu for suture
12S30DM	2/0	3/8	T	30	/	90CM	/	Alu for suture
12S30E	2/0	3/8	T	19	/	75CM	/	Alu for suture
12S30F	2/0	1/2	T	36	/	90CM	/	Alu for suture
12S30FM	2/0	1/2	T	36	/	90CM	/	Alu for suture
12S30G	2/0	1/2	T	26	/	75CM	/	Alu for suture
12S30J	2/0	1/2	R	26	/	75CM	/	Alu for suture
12S30N	2/0	1/2	R	30	/	75CM	/	Alu for suture
12S35A	0	1/2	KL	36	/	90CM	/	Alu for suture
12S35AM	0	1/2	KL	36	/	90CM	/	Alu for suture
12S35B	0	DTE	T	50	/	75CM	/	Alu for suture
12S35C	0	3/8	T	30	/	90CM	/	Alu for suture
12S35CM	0	3/8	T	30	/	90CM	/	Alu for suture
12S35D	0	1/2	R	36	/	75CM	/	Alu for suture
12S35DM	0	1/2	R	36	/	75CM	/	Alu for suture
12S35E	0	1/2	KL	48	/	90CM	/	Alu for suture
12S35F	0	1/2	R	40	/	90CM	/	Alu for suture
12S35G	0	1/2	T	36	/	90CM	/	Alu for suture
12S35GM	0	1/2	T	36	/	90CM	/	Alu for suture
12S35H	0	1/2	R	48	/	90CM	/	Alu for suture
12S40A	1	1/2	T	40	/	90CM	/	Alu for suture
12S40AM	1	1/2	T	40	/	90CM	/	Alu for suture
12S40B	1	1/2	KL	40	/	90CM	/	Alu for suture
12S40BM	1	1/2	KL	40	/	90CM	/	Alu for suture
12S40C	1	1/2	R	40	/	90CM	/	Alu for suture
12S40D	1	1/2	R	48	/	90CM	/	Alu for suture
12S40F	1	3/8	T	36	/	90CM	/	Alu for suture
12S40H	1	1/2	T	48	/	90CM	/	Alu for suture
12S40N	1	1/2	KL	36	/	90CM	/	Alu for suture
12S40P	1	1/2	KL	45	/	90CM	/	Alu for suture
12S10G	5/0	3/8	T	19	/	75CM	/	Alu for suture
12S15T	4/0	1/2	R	16	/	75CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

14xxx	MONOTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
14N07G	6/0	3/8	R	13	DA	70CM	BLACK	Alu for suture
14N07K	6/0	3/8	R	9	DA	70CM	BLACK	Alu for suture
14N10C	5/0	3/8	R	18	/	70CM	BLACK	Alu for suture
14N10F	5/0	3/8	R	18	DA	70CM	BLACK	Alu for suture
14N10G	5/0	3/8	R	13	DA	70CM	BLACK	Alu for suture
14N15B	4/0	1/2	R	22	DA	70CM	BLACK	Alu for suture
14N15E	4/0	1/2	R	26	DA	90CM	BLACK	Alu for suture
14N15F	4/0	3/8	R	18	/	70CM	BLACK	Alu for suture
14N15G	4/0	3/8	R	18	DA	70CM	BLACK	Alu for suture
14N15K	4/0	1/2	R	26	/	70CM	BLACK	Alu for suture
14N15U	4/0	1/2	R	22	/	70CM	BLACK	Alu for suture
14N20B	3/0	1/2	R	26	/	70CM	BLACK	Alu for suture
14S05A	7/0	3/8	R	9	/	70CM	/	Alu for suture
14S05B	7/0	3/8	R	9	DA	70CM	/	Alu for suture
14S05C	7/0	3/8	KL	9	DA	70CM	/	Alu for suture
14S05D	7/0	3/8	R	6.4	DA	70CM	/	Alu for suture
14S05E	7/0	1/2	R	6.5	DA	70CM	/	Alu for suture
14S05F	7/0	1/2	R	9	DA	70CM	/	Alu for suture
14S07A	6/0	3/8	R	13	/	70CM	/	Alu for suture
14S07B	6/0	1/2	R	18	/	70CM	/	Alu for suture
14S07C	6/0	1/2	R	13	/	70CM	/	Alu for suture
14S07D	6/0	3/8	KL	13	DA	70CM	/	Alu for suture
14S07E	6/0	3/8	KL	13	/	70CM	/	Alu for suture
14S07F	6/0	3/8	KL	9	DA	70CM	/	Alu for suture
14S07G	6/0	3/8	R	13	DA	70CM	/	Alu for suture
14S07M	6/0	1/2	KL	11	DA	70CM	/	Alu for suture
14S10A	5/0	3/8	R	13	/	70CM	/	Alu for suture
14S10B	5/0	1/2	R	18	/	70CM	/	Alu for suture
14S10C	5/0	3/8	R	18	/	70CM	/	Alu for suture
14S10D	5/0	3/8	KL	13	DA	70CM	/	Alu for suture
14S10E	5/0	3/8	KL	13	/	70CM	/	Alu for suture
14S10F	5/0	3/8	R	18	DA	70CM	/	Alu for suture
14S10G	5/0	3/8	R	13	DA	70CM	/	Alu for suture
14S10H	5/0	1/2	R	18	DA	70CM	/	Alu for suture
14S10J	5/0	3/8	T	16	/	30CM	LOOP	Alu for suture
14S10N	5/0	3/8	T	19	/	70CM	/	Alu for suture
14S10R	5/0	1/2	KL	13	DA	70CM	/	Alu for suture
14S10S	5/0	1/2	KL	10	DA	70CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

14xxx	MONOTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
14S15A	4/0	1/2	R	20	/	70CM	/	Alu for suture
14S15AA	4/0	1/2	R	26	DA	110CM	/	Alu for suture
14S15C	4/0	3/8	T	19	/	30CM	LOOP	Alu for suture
14S15D	4/0	1/2	R	18	/	70CM	/	Alu for suture
14S15E	4/0	1/2	R	26	DA	90CM	/	Alu for suture
14S15F	4/0	3/8	R	18	/	70CM	/	Alu for suture
14S15G	4/0	3/8	R	18	DA	70CM	/	Alu for suture
14S15J	4/0	1/2	R	18	DA	70CM	/	Alu for suture
14S15K	4/0	1/2	R	26	/	70CM	/	Alu for suture
14S15L	4/0	3/8	T	19	/	70CM	/	Alu for suture
14S15M	4/0	1/2	T	18	/	70CM	/	Alu for suture
14S15N	4/0	DTE	T	60	/	70CM	/	Alu for suture
14S15T	4/0	3/8	T	16	/	70CM	/	Alu for suture
14S15X	4/0	1/2	R	13	/	70CM	/	Alu for suture
14S15Y	4/0	3/8	T	24	/	70CM	/	Alu for suture
14S20A	3/0	1/2	R	22	DA	70CM	/	Alu for suture
14S20B	3/0	1/2	R	26	/	70CM	/	Alu for suture
14S20C	3/0	3/8	T	19	/	70CM	/	Alu for suture
14S20D	3/0	3/8	T	24	/	70CM	/	Alu for suture
14S20E	3/0	1/2	R	26	DA	90CM	/	Alu for suture
14S20F	3/0	3/8	R	18	/	70CM	/	Alu for suture
14S20G	3/0	1/2	R	18	/	70CM	/	Alu for suture
14S20H	3/0	1/2	R	20	/	70CM	/	Alu for suture
14S20J	3/0	1/2	R	22	/	70CM	/	Alu for suture
14S20K	3/0	1/2	R	30	/	70CM	/	Alu for suture
14S20L	3/0	1/2	R	36	/	70CM	/	Alu for suture
14S20M	3/0	1/2	T	23	/	70CM	/	Alu for suture
14S20N	3/0	1/2	T	26	/	70CM	/	Alu for suture
14S20P	3/0	DTE	T	60	/	70CM	/	Alu for suture
14S20R	3/0	1/2	R	26	DA	110CM	/	Alu for suture
14S30A	2/0	3/8	T	24	/	70CM	/	Alu for suture
14S30B	2/0	1/2	R	26	DA	90CM	/	Alu for suture
14S30C	2/0	3/8	R	26	/	70CM	/	Alu for suture
14S30D	2/0	1/2	R	26	/	70CM	/	Alu for suture
14S30E	2/0	1/2	R	30	/	70CM	/	Alu for suture
14S30F	2/0	1/2	R	36	/	70CM	/	Alu for suture
14S30G	2/0	1/2	T	23	/	70CM	/	Alu for suture
14S30H	2/0	1/2	T	26	/	70CM	/	Alu for suture
14S30J	2/0	1/2	T	30	/	70CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

14xxx	MONOTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
14S30K	2/0	1/2	T	36	/	70CM	/	Alu for suture
14S30L	2/0	1/2	T	40	/	90CM	/	Alu for suture
14S35A	0	1/2	T	36	/	70CM	/	Alu for suture
14S35B	0	1/2	R	26	/	70CM	/	Alu for suture
14S35C	0	1/2	R	30	/	70CM	/	Alu for suture
14S35D	0	1/2	R	36	/	70CM	/	Alu for suture
14S35E	0	1/2	R	40	/	70CM	/	Alu for suture
14S35F	0	3/8	T	30	/	70CM	/	Alu for suture
14S35G	0	1/2	T	30	/	70CM	/	Alu for suture
14S35H	0	1/2	T	40	/	90CM	/	Alu for suture
14S35J	0	1/2	T	48	/	90CM	/	Alu for suture
14S35K	0	1/2	KL	48	/	150CM	LOOP	Alu for suture
14S35L	0	1/2	R	40	/	150CM	LOOP	Alu for suture
14S35M	0	1/2	KL	40	/	150CM	LOOP	Alu for suture
14S35N	0	1/2	R	30	DA	90CM	/	Alu for suture
14S40A	1	1/2	R	36	/	70CM	/	Alu for suture
14S40B	1	1/2	R	40	/	70CM	/	Alu for suture
14S40C	1	1/2	R	48	/	90CM	/	Alu for suture
14S40D	1	1/2	T	36	/	70CM	/	Alu for suture
14S40E	1	1/2	T	40	/	90CM	/	Alu for suture
14S40F	1	1/2	T	48	/	90CM	/	Alu for suture
14S40G	1	1/2	R	40	/	150CM	LOOP	Alu for suture
14S40H	1	1/2	KL	48	/	150CM	LOOP	Alu for suture
14S40J	1	1/2	KL	40	/	150CM	LOOP	Alu for suture
14S50A	2	1/2	R	40	/	90CM	/	Alu for suture
14S40M	1	1/2	R	65	/	150CM	/	Alu for suture
14S07N	6/0	3/8	R	11	DA	70CM	/	Alu for suture
14S10T	5/0	3/8	R	11	DA	70CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

1609AB20976548A...

15xxx	ADVANTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
15D07C	6/0	3/8	XT	10	/	45CM	I	Alu for suture
15D07D	6/0	3/8	XT	13	/	70CM	I	Alu for suture
15D10E	5/0	3/8	XT	10	/	45CM	I	Alu for suture
15D10F	5/0	3/8	XT	13	/	45CM	I	Alu for suture
15D10G	5/0	3/8	XT	13	/	70CM	I	Alu for suture
15D10H	5/0	3/8	XT	16	/	45CM	I	Alu for suture
15D10J	5/0	3/8	XT	19	/	45CM	I	Alu for suture
15D10K	5/0	3/8	XT	19	/	70CM	I	Alu for suture
15D10Q	5/0	3/8	XT	16	/	70CM	I	Alu for suture
15D10S	5/0	1/2	XT	19	/	70CM	I	Alu for suture
15D15D	4/0	3/8	XT	13	/	45CM	I	Alu for suture
15D15E	4/0	3/8	XT	16	/	45CM	I	Alu for suture
15D15F	4/0	3/8	XT	16	/	70CM	I	Alu for suture
15D15G	4/0	3/8	XT	19	/	45CM	I	Alu for suture
15D15H	4/0	3/8	XT	19	/	70CM	I	Alu for suture
15D15J	4/0	1/2	XT	16	/	70CM	I	Alu for suture
15D15N	4/0	3/8	XT	24	/	45CM	I	Alu for suture
15D20D	3/0	3/8	XT	16	/	70CM	I	Alu for suture
15D20E	3/0	3/8	XT	19	/	70CM	I	Alu for suture
15D20F	3/0	3/8	XT	24	/	70CM	I	Alu for suture
15D20G	3/0	1/2	XT	23	/	70CM	I	Alu for suture
15D20H	3/0	DTE	XT	50	/	70CM	I	Alu for suture
15D20R	3/0	DTE	XT	60	/	70CM	I	Alu for suture
15D30AA	2/0	1/2	XT	30	/	70CM	/	Alu for suture
15D30D	2/0	3/8	XT	24	/	70CM	I	Alu for suture
15D30E	2/0	3/8	XT	30	/	70CM	I	Alu for suture
15D30F	2/0	1/2	XT	23	/	70CM	I	Alu for suture
15D30G	2/0	1/2	XT	26	/	70CM	I	Alu for suture
15D30H	2/0	1/2	XT	36	/	70CM	I	Alu for suture
15D30J	2/0	DTE	XT	50	/	70CM	I	Alu for suture
15D30Q	2/0	1/2	XT	30	/	70CM	I	Alu for suture
15D35G	0	1/2	XT	30	/	70CM	I	Alu for suture
15I15G	4/0	3/8	T	19	/	45CM	I	Alu for suture
15I35C	0	1/2	T	36	/	70CM	I	Alu for suture
15I35H	0	1/2	T	40	/	90CM	I	Alu for suture
15I35K	0	3/8	T	30	/	70CM	I	Alu for suture
15I40B	1	1/2	T	40	/	90CM	I	Alu for suture
15R20A	3/0	/	/	/	/	250CM	REEL I	Alu for Filpak



**GMED (0459) reconnaît que son certificat CE est
valide pour les dispositifs médicaux décrits**

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

**GMED (0459) recognizes that its EC certificate is
valid for the medical devices listed**

15xxx	ADVANTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
15R30A	2/0	/	/	/	/	250CM	REEL I	Alu for Filpak
15R35A	0	/	/	/	/	250CM	REEL I	Alu for Filpak
15R40A	1	/	/	/	/	250CM	REEL I	Alu for Filpak
15S07A	6/0	3/8	R	13	/	70CM	/	Alu for suture
15S07B	6/0	1/2	R	13	/	70CM	/	Alu for suture
15S10B	5/0	3/8	R	16	DA	90CM	/	Alu for suture
15S10C	5/0	1/2	R	13	/	70CM	/	Alu for suture
15S10D	5/0	1/2	R	18	/	70CM	/	Alu for suture
15S10N	5/0	3/8	KL	18	/	70CM	/	Alu for suture
15S15A	4/0	1/2	R	13	/	70CM	/	Alu for suture
15S15B	4/0	1/2	R	18	/	70CM	/	Alu for suture
15S15C	4/0	1/2	R	26	/	70CM	/	Alu for suture
15S15K	4/0	3/8	R	16	DA	90CM	/	Alu for suture
15S15L	4/0	3/8	R	22	/	70CM	/	Alu for suture
15S15M	4/0	1/2	R	22	/	70CM	/	Alu for suture
15S20A	3/0	3/8	R	22	/	70CM	/	Alu for suture
15S20B	3/0	1/2	R	26	/	70CM	/	Alu for suture
15S20C	3/0	1/2	R	36	/	70CM	/	Alu for suture
15S20J	3/0	3/8	R	26	/	70CM	/	Alu for suture
15S20K	3/0	1/2	R	18	/	70CM	/	Alu for suture
15S20L	3/0	1/2	R	22	/	70CM	/	Alu for suture
15S20M	3/0	1/2	R	30	/	70CM	/	Alu for suture
15S20S	3/0	1/2	R	22	/	90CM	/	Alu for suture
15S20T	3/0	1/2	KL	26	/	90CM	/	Alu for suture
15S20V	3/0	1/2	KL	24	/	70CM	/	Alu for suture
15S30A	2/0	1/2	R	22	/	70CM	/	Alu for suture
15S30B	2/0	1/2	R	22	DA	90CM	/	Alu for suture
15S30C	2/0	1/2	R	36	/	70CM	/	Alu for suture
15S30K	2/0	1/2	KL	36	/	90CM	/	Alu for suture
15S30L	2/0	3/8	R	26	/	70CM	/	Alu for suture
15S30N	2/0	1/2	R	26	/	70CM	/	Alu for suture
15S30P	2/0	1/2	R	30	/	70CM	/	Alu for suture
15S30R	2/0	1/2	R	24	/	110CM	/	Alu for suture
15S30X	2/0	1/2	R	26	DA	90CM	/	Alu for suture
15S30Y	2/0	1/2	KL	26	/	70CM	/	Alu for suture
15S35A	0	3/8	R	32	/	70CM	/	Alu for suture
15S35B	0	1/2	R	30	/	70CM	/	Alu for suture
15S35D	0	1/2	KL	36	/	90CM	/	Alu for suture
15S35E	0	1/2	R	36	/	70CM	/	Alu for suture



15xxx	ADVANTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
15S35F	0	1/2	R	40	/	90CM	/	Alu for suture
15S35J	0	1/2	T	48	/	90CM	/	Alu for suture
15S35L	0	1/2	R	24	/	110CM	/	Alu for suture
15S35N	0	5/8	R	27	/	75CM	/	Alu for suture
15S40A	1	1/2	R	40	/	90CM	/	Alu for suture
15S40C	1	1/2	T	48	/	90CM	/	Alu for suture
15S40E	1	1/2	R	48	/	90CM	/	Alu for suture
15D30AB	2/0	DTE	XT	60		70CM	I	Alu for suture
15S30AC	2/0	5/8	R	26	/	70CM	/	Alu for suture
15D15T	4/0	3/8	XT	19	/	70CM	/	Alu for suture
15D20W	3/0	3/8	XT	24	/	70CM	/	Alu for suture
15D30AD	2/0	3/8	XT	30	/	70CM	/	Alu for suture

GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

18xxx	OPTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
18B10D	5/0	/	/	/	/	70CM	02BRINS	Alu for strands
18B15A	4/0	/	/	/	/	70CM	05BRINS	Alu for strands
18B15B	4/0	/	/	/	/	45CM	06BRINS	Alu for strands
18B15C	4/0	/	/	/	/	45CM	03BRINS	Alu for strands
18B15D	4/0	/	/	/	/	70CM	02BRINS	Alu for strands
18B20A	3/0	/	/	/	/	70CM	05BRINS	Alu for strands
18B20B	3/0	/	/	/	/	45CM	06BRINS	Alu for strands
18B20C	3/0	/	/	/	/	45CM	03BRINS	Alu for strands
18B20D	3/0	/	/	/	/	70CM	02BRINS	Alu for strands
18B30A	2/0	/	/	/	/	70CM	05BRINS	Alu for strands
18B30B	2/0	/	/	/	/	45CM	06BRINS	Alu for strands
18B30C	2/0	/	/	/	/	45CM	03BRINS	Alu for strands
18B30D	2/0	/	/	/	/	70CM	02BRINS	Alu for strands
18B35A	0	/	/	/	/	70CM	05BRINS	Alu for strands
18B35B	0	/	/	/	/	45CM	06BRINS	Alu for strands
18B35C	0	/	/	/	/	45CM	03BRINS	Alu for strands
18B35D	0	/	/	/	/	70CM	02BRINS	Alu for strands
18B40A	1	/	/	/	/	70CM	05BRINS	Alu for strands
18B40B	1	/	/	/	/	45CM	06BRINS	Alu for strands
18B40C	1	/	/	/	/	45CM	03BRINS	Alu for strands
18B40D	1	/	/	/	/	70CM	02BRINS	Alu for strands
18B50A	2	/	/	/	/	70CM	05BRINS	Alu for strands
18B50B	2	/	/	/	/	45CM	06BRINS	Alu for strands
18B50C	2	/	/	/	/	45CM	03BRINS	Alu for strands
18B50D	2	/	/	/	/	70CM	02BRINS	Alu for strands
18G30H	2/0	1/2	R	40	/	90CM	FORT	Alu for suture
18G30W	2/0	1/2	R	13	/	75CM	FORT	Alu for suture
18G35AF	0	1/2	KL	40	/	90CM	FORT	Alu for suture
18G35B	0	1/2	R	13	/	75CM	FORT	Alu for suture
18G35H	0	5/8	R	27	/	75CM	FORT	Alu for suture
18G40AW	1	1/2	T	23	/	75CM	FORT	Alu for suture
18G40B	1	1/2	R	22	/	75CM	FORT	Alu for suture
18G40C	1	1/2	R	26	/	90CM	FORT	Alu for suture
18G40D	1	1/2	R	30	/	75CM	FORT	Alu for suture
18G40F	1	1/2	R	40	/	90CM	FORT	Alu for suture
18G40L	1	1/2	T	40	/	90CM	FORT	Alu for suture
18G40Z	1	1/2	BP	45	/	90CM	/	Alu for suture
18G50A	2	1/2	R	22	/	75CM	FORT	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

18xxx	OPTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
18G50B	2	1/2	R	26	/	90CM	FORT	Alu for suture
18G50M	2	1/2	BP	45	/	90CM	FORT	Alu for suture
18G50T	2	1/2	T	22	/	75CM	FORT	Alu for suture
18I07D	6/0	3/8	T	10	/	45CM	I	Alu for suture
18I07G	6/0	3/8	R	13	DA	45CM	I	Alu for suture
18I10E	5/0	3/8	T	13	/	45CM	I	Alu for suture
18I10F	5/0	3/8	T	16	/	45CM	I	Alu for suture
18I10G	5/0	3/8	T	19	/	45CM	I	Alu for suture
18I10H	5/0	3/8	T	19	/	75CM	I	Alu for suture
18I10J	5/0	1/2	R	13	/	75CM	I	Alu for suture
18I15E	4/0	1/2	R	18	/	75CM	I	Alu for suture
18I15H	4/0	3/8	T	13	/	45CM	I	Alu for suture
18I15J	4/0	3/8	T	16	/	45CM	I	Alu for suture
18I15L	4/0	3/8	T	19	/	75CM	I	Alu for suture
18I15R	4/0	3/8	T	19	/	45CM	I	Alu for suture
18I15S	4/0	1/2	KL	18	/	75CM	I	Alu for suture
18I20AA	3/0	3/8	T	30	/	75CM	I	Alu for suture
18I20AF	3/0	3/8	T	26	/	75CM	I	Alu for suture
18I20AJ	3/0	3/8	T	16	/	45CM	I	Alu for suture
18I20AL	3/0	3/8	T	24	/	45CM	I	Alu for suture
18I20E	3/0	1/2	R	22	/	75CM	I	Alu for suture
18I20F	3/0	1/2	R	26	/	75CM	I	Alu for suture
18I20J	3/0	3/8	T	19	/	75CM	I	Alu for suture
18I20K	3/0	3/8	T	24	/	75CM	I	Alu for suture
18I20L	3/0	1/2	T	23	/	75CM	I	Alu for suture
18I20M	3/0	1/2	T	36	/	90CM	I	Alu for suture
18I20N	3/0	DTE	T	50	/	75CM	I	Alu for suture
18I20P	3/0	DTE	T	60	/	75CM	I	Alu for suture
18I20U	3/0	3/8	T	19	/	45CM	I	Alu for suture
18I30AM	2/0	3/8	T	19	/	75CM	I	Alu for suture
18I30B	2/0	3/8	R	32	/	75CM	I	Alu for suture
18I30E	2/0	1/2	R	26	/	75CM	I	Alu for suture
18I30J	2/0	3/8	T	24	/	75CM	I	Alu for suture
18I30K	2/0	3/8	T	30	/	75CM	I	Alu for suture
18I30L	2/0	1/2	T	23	/	75CM	I	Alu for suture
18I30P	2/0	1/2	T	36	/	90CM	I	Alu for suture
18I30S	2/0	DTE	T	50	/	75CM	I	Alu for suture
18I30U	2/0	1/2	KL	36	/	90CM	I	Alu for suture
18I30WA	2/0	DTE	T	60	/	75CM	I	Alu for suture



**GMED (0459) reconnaît que son certificat CE est
valide pour les dispositifs médicaux décrits**

-----25/09/2020-----
**GMED (0459) recognizes that its EC certificate is
valid for the medical devices listed**

DocuSigned by:

Fatimazahra MESKINI

EGD9AB20976548A...

18xxx	OPTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
18I35AB	0	1/2	T	30	/	90CM	I	Alu for suture
18I35AD	0	1/2	T	23	/	75CM	I	Alu for suture
18I35K	0	3/8	T	30	/	75CM	I	Alu for suture
18I35L	0	1/2	T	26	/	75CM	I	Alu for suture
18I35N	0	1/2	T	36	/	90CM	I	Alu for suture
18I35T	0	1/2	KL	36	/	90CM	I	Alu for suture
18I35V	0	1/2	T	48	/	90CM	I	Alu for suture
18I40K	1	1/2	T	36	/	90CM	I	Alu for suture
18I40M	1	1/2	T	48	/	90CM	I	Alu for suture
18I40N	1	1/2	KL	26	/	75CM	I	Alu for suture
18I40P	1	1/2	KL	36	/	90CM	I	Alu for suture
18I40V	1	1/2	KL	22	/	75CM	I	Alu for suture
18I50E	2	1/2	T	36	/	90CM	I	Alu for suture
18I50G	2	1/2	T	48	/	90CM	I	Alu for suture
18I50N	2	1/2	T	40	/	75CM	I	Alu for suture
18N10C	5/0	1/2	R	18	/	75CM	BLACK	Alu for suture
18N15B	4/0	3/8	R	17	/	75CM	BLACK	Alu for suture
18N15C	4/0	3/8	R	22	/	75CM	BLACK	Alu for suture
18N15E	4/0	1/2	R	18	/	75CM	BLACK	Alu for suture
18N15F	4/0	1/2	R	22	/	75CM	BLACK	Alu for suture
18N15P	4/0	1/2	R	26	/	75CM	BLACK	Alu for suture
18N20A	3/0	3/8	R	17	/	75CM	BLACK	Alu for suture
18N20B	3/0	3/8	R	22	/	75CM	BLACK	Alu for suture
18N20D	3/0	1/2	R	18	/	75CM	BLACK	Alu for suture
18N20E	3/0	1/2	R	22	/	75CM	BLACK	Alu for suture
18N20F	3/0	1/2	R	26	/	75CM	BLACK	Alu for suture
18N20R	3/0	1/2	R	36	/	75CM	BLACK	Alu for suture
18N30A	2/0	3/8	R	26	/	75CM	BLACK	Alu for suture
18N30B	2/0	3/8	R	32	/	75CM	BLACK	Alu for suture
18N30D	2/0	1/2	R	22	/	75CM	BLACK	Alu for suture
18N30E	2/0	1/2	R	26	/	75CM	BLACK	Alu for suture
18N30F	2/0	1/2	R	30	/	75CM	BLACK	Alu for suture
18N30G	2/0	1/2	R	36	/	75CM	BLACK	Alu for suture
18R10B	5/0	/	/	/	/	150CM	REEL	Alu for Filpak
18R15A	4/0	/	/	/	/	250CM	REEL	Alu for Filpak
18R15B	4/0	/	/	/	/	150CM	REEL	Alu for Filpak
18R20A	3/0	/	/	/	/	250CM	REEL	Alu for Filpak
18R20B	3/0	/	/	/	/	150CM	REEL	Alu for Filpak
18R30A	2/0	/	/	/	/	250CM	REEL	Alu for Filpak

GMED (0459) reconnaît que son certificat CE est**valide pour les dispositifs médicaux décrits** DocuSigned by:-----25/09/2020----- **Fatimazahra MESKINI****GMED (0459) recognizes that its EC certificate is****valid for the medical devices listed**

18xxx	OPTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
18R30B	2/0	/	/	/	/	150CM	REEL	Alu for Filpak
18R35A	0	/	/	/	/	250CM	REEL	Alu for Filpak
18R35B	0	/	/	/	/	150CM	REEL	Alu for Filpak
18R40A	1	/	/	/	/	250CM	REEL	Alu for Filpak
18R40B	1	/	/	/	/	150CM	REEL	Alu for Filpak
18R50A	2	/	/	/	/	250CM	REEL	Alu for Filpak
18R50B	2	/	/	/	/	150CM	REEL	Alu for Filpak
18RI20A	3/0	/	/	/	/	250CM	REEL I	Alu for Filpak
18RI30A	2/0	/	/	/	/	250CM	REEL I	Alu for Filpak
18RI35A	0	/	/	/	/	250CM	REEL I	Alu for Filpak
18RI40A	1	/	/	/	/	250CM	REEL I	Alu for Filpak
18S07A	6/0	3/8	R	13	/	75CM	/	Alu for suture
18S07E	6/0	1/2	R	18	/	75CM	/	Alu for suture
18S07H	6/0	3/8	T	8	/	75CM	/	Alu for suture
18S10A	5/0	3/8	R	13	/	75CM	/	Alu for suture
18S10B	5/0	3/8	R	17	/	75CM	/	Alu for suture
18S10C	5/0	1/2	R	18	/	75CM	/	Alu for suture
18S10D	5/0	3/8	T	13	/	75CM	/	Alu for suture
18S10F	5/0	1/2	T	16	/	75CM	/	Alu for suture
18S10J	5/0	1/2	R	13	/	75CM	/	Alu for suture
18S10K	5/0	1/2	R	26	/	75CM	/	Alu for suture
18S10Q	5/0	3/8	KL	13	/	75CM	FIN	Alu for suture
18S15A	4/0	3/8	R	13	/	75CM	/	Alu for suture
18S15B	4/0	3/8	R	17	/	75CM	/	Alu for suture
18S15C	4/0	3/8	R	22	/	75CM	/	Alu for suture
18S15D	4/0	1/2	R	13	/	75CM	/	Alu for suture
18S15E	4/0	1/2	R	18	/	75CM	/	Alu for suture
18S15F	4/0	1/2	R	22	/	75CM	/	Alu for suture
18S15G	4/0	3/8	T	13	/	75CM	/	Alu for suture
18S15K	4/0	3/8	T	16	/	75CM	/	Alu for suture
18S15L	4/0	3/8	T	19	/	75CM	/	Alu for suture
18S15LSD	4/0	3/8	T	19	/	75CM	SEPTO.	Alu for sutures SD
18S15N	4/0	3/8	T	24	/	75CM	/	Alu for suture
18S15P	4/0	1/2	R	26	/	75CM	/	Alu for suture
18S15Q	4/0	1/2	T	16	/	75CM	/	Alu for suture
18S20A	3/0	3/8	R	17	/	75CM	/	Alu for suture
18S20AA	3/0	3/8	T	30	/	75CM	/	Alu for suture
18S20AB	3/0	3/8	KL	18	/	75CM	/	Alu for suture
18S20AC	3/0	1/2	T	30	/	75CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

EGD9AB20976548A...

18xxx	OPTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
18S20AH	3/0	5/8	R	27	DA	75CM	/	Alu for suture
18S20AM	3/0	1/2	KL	18	/	90CM	/	Alu for suture
18S20AN	3/0	3/8	R	18	/	45CM	/	Alu for suture
18S20AP	3/0	3/8	R	17	DA	75CM	/	Alu for suture
18S20AQ	3/0	3/8	R	13	/	75CM	/	Alu for suture
18S20B	3/0	3/8	R	22	/	75CM	/	Alu for suture
18S20C	3/0	3/8	R	32	/	75CM	/	Alu for suture
18S20D	3/0	1/2	R	18	/	75CM	/	Alu for suture
18S20E	3/0	1/2	R	22	/	75CM	/	Alu for suture
18S20F	3/0	1/2	R	26	/	75CM	/	Alu for suture
18S20G	3/0	1/2	R	30	/	75CM	/	Alu for suture
18S20H	3/0	3/8	T	16	/	75CM	/	Alu for suture
18S20J	3/0	3/8	T	19	/	75CM	/	Alu for suture
18S20JSD	3/0	3/8	T	19	/	75CM	SEPTO.	Alu for sutures SD
18S20K	3/0	3/8	T	24	/	75CM	/	Alu for suture
18S20L	3/0	1/2	T	23	/	75CM	/	Alu for suture
18S20M	3/0	1/2	T	36	/	90CM	/	Alu for suture
18S20N	3/0	DTE	T	50	/	75CM	/	Alu for suture
18S20Q	3/0	1/2	R	26	DA	90CM	/	Alu for suture
18S20R	3/0	1/2	R	36	/	75CM	/	Alu for suture
18S20V	3/0	1/2	KL	20	/	75CM	/	Alu for suture
18S20W	3/0	1/2	KL	26	/	75CM	/	Alu for suture
18S20Y	3/0	5/8	R	27	/	75CM	/	Alu for suture
18S20Z	3/0	1/2	R	22	DA	90CM	/	Alu for suture
18S30A	2/0	3/8	R	26	/	75CM	/	Alu for suture
18S30AC	2/0	3/8	R	20	/	75CM	/	Alu for suture
18S30AD	2/0	1/2	KL	30	/	75CM	/	Alu for suture
18S30AE	2/0	5/8	R	27	/	90CM	/	Alu for suture
18S30AH	2/0	1/2	R	48	/	90CM	/	Alu for suture
18S30AK	2/0	1/2	R	36	/	90CM	/	Alu for suture
18S30AL	2/0	1/2	BP	35	/	90CM	/	Alu for suture
18S30AQ	2/0	1/2	R	30	/	90CM	/	Alu for suture
18S30AR	2/0	1/2	R	26	DA	150CM	/	Alu for suture
18S30AV	2/0	1/2	R	65	/	90CM	/	Alu for suture
18S30B	2/0	3/8	R	32	/	75CM	/	Alu for suture
18S30C	2/0	1/2	R	18	/	75CM	/	Alu for suture
18S30D	2/0	1/2	R	22	/	75CM	/	Alu for suture
18S30E	2/0	1/2	R	26	/	75CM	/	Alu for suture
18S30F	2/0	1/2	R	30	/	75CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits DocuSigned by:

-----25/09/2020-----

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

Fatimazahra MESKINI

AB20976548A...

18xxx	OPTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
18S30G	2/0	1/2	R	36	/	75CM	/	Alu for suture
18S30J	2/0	3/8	T	24	/	75CM	/	Alu for suture
18S30K	2/0	3/8	T	30	/	75CM	/	Alu for suture
18S30L	2/0	1/2	T	23	/	75CM	/	Alu for suture
18S30M	2/0	1/2	T	26	/	75CM	/	Alu for suture
18S30N	2/0	1/2	T	30	/	75CM	/	Alu for suture
18S30P	2/0	1/2	T	36	/	90CM	/	Alu for suture
18S30R	2/0	1/2	T	40	/	90CM	/	Alu for suture
18S30S	2/0	DTE	T	50	/	75CM	/	Alu for suture
18S30T	2/0	1/2	KL	18	/	75CM	/	Alu for suture
18S30U	2/0	1/2	KL	36	/	90CM	/	Alu for suture
18S30W	2/0	1/2	R	26	DA	90CM	/	Alu for suture
18S30WA	2/0	DTE	T	60	/	75CM	/	Alu for suture
18S30Z	2/0	1/2	KL	26	/	75CM	/	Alu for suture
18S35A	0	3/8	R	32	/	75CM	/	Alu for suture
18S35AC	0	1/2	BP	40	/	90CM	/	Alu for suture
18S35AE	0	3/8	T	22	/	75CM	/	Alu for suture
18S35AG	0	1/2	R	22	/	75CM	/	Alu for suture
18S35C	0	1/2	R	26	/	75CM	/	Alu for suture
18S35D	0	1/2	R	30	/	75CM	/	Alu for suture
18S35E	0	1/2	R	36	/	75CM	/	Alu for suture
18S35F	0	1/2	R	40	/	90CM	/	Alu for suture
18S35G	0	1/2	R	48	/	90CM	/	Alu for suture
18S35H	0	5/8	R	27	/	75CM	/	Alu for suture
18S35J	0	5/8	R	40	/	75CM	/	Alu for suture
18S35K	0	3/8	T	30	/	75CM	/	Alu for suture
18S35L	0	1/2	T	26	/	75CM	/	Alu for suture
18S35M	0	1/2	T	30	/	75CM	/	Alu for suture
18S35N	0	1/2	T	36	/	90CM	/	Alu for suture
18S35P	0	1/2	T	40	/	90CM	/	Alu for suture
18S35R	0	DTE	T	50	/	75CM	/	Alu for suture
18S35S	0	1/2	KL	18	/	75CM	/	Alu for suture
18S35T	0	1/2	KL	36	/	90CM	/	Alu for suture
18S35V	0	1/2	T	48	/	90CM	/	Alu for suture
18S35X	0	DTE	T	50	DA	75CM	/	Alu for suture
18S40A	1	3/8	R	32	/	75CM	/	Alu for suture
18S40AA	1	1/2	T	48	DA	90CM	/	Alu for suture
18S40AB	1	1/2	KL	40	/	150CM	LOOP	Alu for suture
18S40AC	1	1/2	KL	30	/	75CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

18S05AB20976548A...

18xxx	OPTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
18S40AD	1	1/2	R	36	/	90CM	/	Alu for suture
18S40AF	1	3/8	T	36	/	75CM	/	Alu for suture
18S40AT	1	1/2	T	30	/	90CM	/	Alu for suture
18S40D	1	1/2	R	30	/	75CM	/	Alu for suture
18S40E	1	1/2	R	36	/	75CM	/	Alu for suture
18S40F	1	1/2	R	40	/	90CM	/	Alu for suture
18S40G	1	1/2	R	48	/	90CM	/	Alu for suture
18S40H	1	1/2	T	26	/	75CM	/	Alu for suture
18S40J	1	1/2	T	30	/	75CM	/	Alu for suture
18S40K	1	1/2	T	36	/	90CM	/	Alu for suture
18S40L	1	1/2	T	40	/	90CM	/	Alu for suture
18S40M	1	1/2	T	48	/	90CM	/	Alu for suture
18S40P	1	1/2	KL	36	/	90CM	/	Alu for suture
18S40R	1	1/2	KL	40	/	90CM	/	Alu for suture
18S40S	1	5/8	R	27	/	75CM	/	Alu for suture
18S40T	1	1/2	R	70	/	75CM	/	Alu for suture
18S40U	1	1/2	KL	18	/	75CM	/	Alu for suture
18S40V	1	1/2	KL	22	/	75CM	/	Alu for suture
18S40W	1	1/2	KL	48	/	90CM	/	Alu for suture
18S40X	1	1/2	KL	48	/	150CM	LOOP	Alu for suture
18S50AB	2	1/2	R	65	/	90CM	/	Alu for suture
18S50AC	2	1/2	T	26	/	90CM	/	Alu for suture
18S50C	2	1/2	R	40	/	90CM	/	Alu for suture
18S50D	2	1/2	R	48	/	90CM	/	Alu for suture
18S50E	2	1/2	T	36	/	90CM	/	Alu for suture
18S50F	2	1/2	T	40	/	90CM	/	Alu for suture
18S50G	2	1/2	T	48	/	90CM	/	Alu for suture
18S50H	2	1/2	KL	36	/	90CM	/	Alu for suture
18S50J	2	1/2	KL	48	/	90CM	/	Alu for suture
18S50L	2	1/2	KL	48	/	150CM	LOOP	Alu for suture
18S50P	2	1/2	R	36	/	90CM	/	Alu for suture
18S20P	3/0	DRT	T	60	/	75CM	/	Alu for suture
18S20AR	3/0	1/2	R	22	/	90CM	/	Alu for suture
18S30AJ	2/0	1/2	R	26	/	90CM	/	Alu for suture
18I10R	5/0	3/8	T	13	/	75CM	I	Alu for suture
18S40AX	1	1/2	R	17	/	75CM	/	Alu for suture
18S30AW	2/0	1/2	KL	48	/	90CM	/	Alu for suture
18S35AV	0	1/2	R	26	/	90CM	/	Alu for suture



**GMED (0459) reconnaît que son certificat CE est
valable pour les dispositifs médicaux décrits**

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

**GMED (0459) recognizes that its EC certificate is
valid for the medical devices listed**

1609AB20976548A...

39xxx	GLACTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
39G40F	1	1/2	R	26	/	75CM	FORT	Alu for suture
39G40J	1	1/2	R	40	/	90CM	FORT	Alu for suture
39G40P	1	1/2	R	22	/	75CM	FORT	Alu for suture
39I07F	6/0	3/8	T	13	/	45CM	I	Alu for suture
39I10J	5/0	1/2	R	13	/	75CM	I	Alu for suture
39I10M	5/0	3/8	T	13	/	45CM	I	Alu for suture
39I10N	5/0	3/8	T	16	/	45CM	I	Alu for suture
39I10P	5/0	3/8	T	19	/	45CM	I	Alu for suture
39I15F	4/0	1/2	R	18	/	75CM	I	Alu for suture
39I15K	4/0	3/8	T	19	/	45CM	I	Alu for suture
39I15T	4/0	3/8	T	16	/	45CM	I	Alu for suture
39I15W	4/0	3/8	T	13	/	45CM	I	Alu for suture
39I15X	4/0	DTE	T	13	/	45CM	I	Alu for suture
39I20AC	3/0	3/8	T	16	/	45CM	I	Alu for suture
39I20AD	3/0	3/8	T	19	/	45CM	I	Alu for suture
39I20K	3/0	1/2	R	18	/	75CM	I	Alu for suture
39I20M	3/0	1/2	R	22	/	75CM	I	Alu for suture
39I20N	3/0	1/2	R	26	/	75CM	I	Alu for suture
39I30J	2/0	1/2	R	22	/	75CM	I	Alu for suture
39I30K	2/0	1/2	R	26	/	75CM	I	Alu for suture
39I30U	2/0	1/2	R	18	/	75CM	I	Alu for suture
39I35F	0	1/2	R	26	/	75CM	I	Alu for suture
39R10A	5/0	/	/	/	/	150CM	REEL	Alu for Filpak
39R15A	4/0	/	/	/	/	150CM	REEL	Alu for Filpak
39R15B	4/0	/	/	/	/	250CM	REEL	Alu for Filpak
39R20A	3/0	/	/	/	/	150CM	REEL	Alu for Filpak
39R20B	3/0	/	/	/	/	250CM	REEL	Alu for Filpak
39R20C	3/0	/	/	/	/	150CM	REEL	Alu for Filpak
39R30A	2/0	/	/	/	/	150CM	REEL	Alu for Filpak
39R30B	2/0	/	/	/	/	250CM	REEL	Alu for Filpak
39R30C	2/0	/	/	/	/	150CM	REEL	Alu for Filpak
39R35A	0	/	/	/	/	150CM	REEL	Alu for Filpak
39R35B	0	/	/	/	/	250CM	REEL	Alu for Filpak
39R35C	0	/	/	/	/	150CM	REEL	Alu for Filpak
39R40A	1	/	/	/	/	150CM	REEL	Alu for Filpak
39R40B	1	/	/	/	/	250CM	REEL	Alu for Filpak
39R40C	1	/	/	/	/	150CM	REEL	Alu for Filpak
39R50A	2	/	/	/	/	150CM	REEL	Alu for Filpak



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

39xxx	GLACTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
39R50B	2	/	/	/	/	250CM	REEL	Alu for Filpak
39S07A	6/0	3/8	R	13	/	75CM	/	Alu for suture
39S10A	5/0	3/8	R	13	/	75CM	/	Alu for suture
39S10E	5/0	1/2	R	18	/	75CM	/	Alu for suture
39S10F	5/0	1/2	R	26	/	75CM	/	Alu for suture
39S10H	5/0	3/8	R	17	/	75CM	/	Alu for suture
39S10Q	5/0	1/2	T	16	/	45CM	/	Alu for suture
39S10R	5/0	3/8	R	22	/	75CM	/	Alu for suture
39S15A	4/0	3/8	R	17	/	75CM	/	Alu for suture
39S15B	4/0	3/8	R	22	/	75CM	/	Alu for suture
39S15D	4/0	3/8	T	19	/	75CM	/	Alu for suture
39S15E	4/0	3/8	T	24	/	75CM	/	Alu for suture
39S15F	4/0	1/2	R	18	/	75CM	/	Alu for suture
39S15H	4/0	1/2	R	22	/	75CM	/	Alu for suture
39S15J	4/0	1/2	R	26	/	75CM	/	Alu for suture
39S15L	4/0	1/2	T	16	/	75CM	/	Alu for suture
39S15U	4/0	3/8	T	30	/	75CM	/	Alu for suture
39S15V	4/0	1/2	T	23	/	75CM	/	Alu for suture
39S20A	3/0	3/8	R	17	/	75CM	/	Alu for suture
39S20AA	3/0	1/2	KL	18	/	75CM	/	Alu for suture
39S20AB	3/0	1/2	KL	20	/	75CM	/	Alu for suture
39S20AE	3/0	1/2	T	30	/	75CM	/	Alu for suture
39S20AF	3/0	5/8	R	27	/	75CM	/	Alu for suture
39S20AG	3/0	1/2	T	23	/	75CM	/	Alu for suture
39S20B	3/0	3/8	R	22	/	75CM	/	Alu for suture
39S20C	3/0	3/8	R	26	/	75CM	/	Alu for suture
39S20E	3/0	3/8	T	19	/	75CM	/	Alu for suture
39S20F	3/0	3/8	T	24	/	75CM	/	Alu for suture
39S20G	3/0	3/8	T	30	/	75CM	/	Alu for suture
39S20J	3/0	1/2	KL	26	/	75CM	/	Alu for suture
39S20K	3/0	1/2	R	18	/	75CM	/	Alu for suture
39S20M	3/0	1/2	R	22	/	75CM	/	Alu for suture
39S20N	3/0	1/2	R	26	/	75CM	/	Alu for suture
39S20P	3/0	1/2	R	30	/	75CM	/	Alu for suture
39S20Q	3/0	1/2	R	36	/	75CM	/	Alu for suture
39S20T	3/0	1/2	T	26	/	75CM	/	Alu for suture
39S20W	3/0	3/8	R	32	/	75CM	/	Alu for suture
39S30A	2/0	3/8	R	26	/	75CM	/	Alu for suture
39S30AB	2/0	DTE	T	50	/	75CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

45039AB20976548A...

39xxx	GLACTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
39S30C	2/0	3/8	R	32	/	75CM	/	Alu for suture
39S30D	2/0	3/8	T	24	/	75CM	/	Alu for suture
39S30E	2/0	3/8	T	30	/	75CM	/	Alu for suture
39S30F	2/0	1/2	KL	26	/	75CM	/	Alu for suture
39S30J	2/0	1/2	R	22	/	75CM	/	Alu for suture
39S30K	2/0	1/2	R	26	/	75CM	/	Alu for suture
39S30L	2/0	1/2	R	30	/	75CM	/	Alu for suture
39S30M	2/0	1/2	R	36	/	75CM	/	Alu for suture
39S30N	2/0	1/2	R	40	/	90CM	/	Alu for suture
39S30P	2/0	1/2	T	23	/	75CM	/	Alu for suture
39S30Q	2/0	1/2	T	26	/	75CM	/	Alu for suture
39S30R	2/0	1/2	T	30	/	75CM	/	Alu for suture
39S30S	2/0	1/2	T	36	/	90CM	/	Alu for suture
39S30T	2/0	1/2	T	40	/	90CM	/	Alu for suture
39S30U	2/0	1/2	R	18	/	75CM	/	Alu for suture
39S30X	2/0	5/8	R	27	/	75CM	/	Alu for suture
39S35AC	0	DTE	T	50	/	75CM	/	Alu for suture
39S35AE	0	3/8	R	32	/	75CM	/	Alu for suture
39S35C	0	1/2	KL	36	/	90CM	/	Alu for suture
39S35F	0	1/2	R	26	/	75CM	/	Alu for suture
39S35G	0	1/2	R	30	/	75CM	/	Alu for suture
39S35H	0	1/2	R	36	/	75CM	/	Alu for suture
39S35J	0	1/2	R	40	/	90CM	/	Alu for suture
39S35K	0	1/2	R	48	/	90CM	/	Alu for suture
39S35L	0	1/2	T	30	/	75CM	/	Alu for suture
39S35M	0	1/2	T	36	/	90CM	/	Alu for suture
39S35N	0	1/2	T	40	/	90CM	/	Alu for suture
39S35P	0	1/2	T	48	/	90CM	/	Alu for suture
39S35Q	0	3/8	T	30	/	75CM	/	Alu for suture
39S35R	0	1/2	T	26	/	75CM	/	Alu for suture
39S35T	0	1/2	R	22	/	75CM	/	Alu for suture
39S40AB	1	1/2	R	48	/	150CM	LOOP	Alu for suture
39S40AC	1	1/2	KL	40	/	150CM	LOOP	Alu for suture
39S40AD	1	1/2	R	40	/	150CM	LOOP	Alu for suture
39S40B	1	1/2	KL	36	/	90CM	/	Alu for suture
39S40C	1	1/2	KL	40	/	90CM	/	Alu for suture
39S40D	1	1/2	KL	48	/	90CM	/	Alu for suture
39S40E	1	1/2	KL	48	/	150CM	LOOP	Alu for suture
39S40G	1	1/2	R	30	/	75CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits

DocuSigned by:

-----25/09/2020-----

Fatimazahra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

39xxx	GLACTIME®							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
39S40H	1	1/2	R	36	/	75CM	/	Alu for suture
39S40J	1	1/2	R	40	/	90CM	/	Alu for suture
39S40K	1	1/2	R	48	/	90CM	/	Alu for suture
39S40L	1	1/2	T	36	/	90CM	/	Alu for suture
39S40N	1	1/2	T	48	/	90CM	/	Alu for suture
39S50G	2	1/2	R	40	/	90CM	/	Alu for suture
39S50J	2	1/2	T	36	/	90CM	/	Alu for suture
39S50Q	2	1/2	KL	40	/	150CM	LOOP	Alu for suture
39S50R	2	1/2	R	40	/	150CM	LOOP	Alu for suture
39S50S	2	1/2	R	48	/	150CM	LOOP	Alu for suture
39S07D	6/0	1/2	R	13	/	75CM	/	Alu for suture
39I07E	6/0	3/8	T	10	/	45CM	I	Alu for suture
39I10G	5/0	3/8	R	13	DA	45CM	I	Alu for suture
39S20Y	3/0	1/2	R	26	DA	90CM	/	Alu for suture
39S30AC	2/0	DTE	T	60	/	75CM	/	Alu for suture
39S30AF	2/0	1/2	R	65	/	75CM	/	Alu for suture
39S30W	2/0	1/2	R	26	DA	90CM	/	Alu for suture
39S35AD	0	DTE	T	60	/	75CM	/	Alu for suture
39S35AH	0	1/2	R	65	/	150CM	LOOP	Alu for suture
39S35W	0	1/2	R	26	DA	90CM	/	Alu for suture
39S35Y	0	5/8	R	27	/	75CM	/	Alu for suture
39S40X	1	1/2	R	65	/	90CM	/	Alu for suture



GMED (0459) reconnaît que son certificat CE est

valide pour les dispositifs médicaux décrits DocuSigned by:

-----25/09/2020-----

Fatimazabra MESKINI

GMED (0459) recognizes that its EC certificate is

valid for the medical devices listed

81xx	SINUSORB® PGA							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
8101	10/0	1/2	SP	6	/	30CM	150µm	Alu for dogbone
8102	7/0	3/8	SP	6.4	/	30CM	200µm	Alu for suture
8104	8/0	3/8	SP	6.4	/	30CM	200µm	Alu for dogbone
8106	7/0	1/2	SP	8	/	45CM	240µm	Alu for suture
8107	6/0	1/4	SP	8	DA	45CM	240µm	Alu for dogbone
8108	6/0	3/8	T	8	DA	45CM	240µm	Alu for dogbone
8109	8/0	3/8	R	6.4	/	30CM	150µm	Alu for dogbone
8110	10/0	3/8	SP	6.4	DA	30CM	200µm	Alu for dogbone
8111	7/0	3/8	SP	6.4	DA	45CM	200µm	Alu for dogbone
8112	8/0	3/8	SP	6.4	DA	30CM	200µm	Alu for dogbone
8113	8/0	3/8	SP	6.4	DA	45CM	200µm	Alu for dogbone
8114	6/0	3/8	SP	6.4	DA	45CM	240µm	Alu for dogbone
8117	6/0	1/4	SP	8	DA	45CM	330µm	Alu for dogbone
8118	6/0	3/8	SP	8	DA	45CM	330µm	Alu for dogbone
8120	5/0	1/4	SP	8	DA	45CM	330µm	Alu for dogbone
8121	9/0	3/8	SP	6.4	/	30CM	200µm	Alu for dogbone
8123	5/0	1/4	SP	8	DA	45CM	380µm	Alu for dogbone
8124	9/0	1/2	SP	6	/	30CM	150µm	Alu for dogbone
8125	9/0	1/2	SP	6	DA	30CM	150µm	Alu for dogbone
8126	7/0	1/2	SP	6	DA	30CM	200µm	Alu for dogbone
8127	6/0	1/2	SP	6.4	DA	30CM	240µm	Alu for dogbone
8128	5/0	3/8	T	16	/	45CM	430µm	Alu for suture
8129	10/0	3/8	R	4	/	30CM	100µm	Alu for dogbone
8130	5/0	1/2	T	16	/	45CM	430µm	Alu for suture
8131	4/0	3/8	T	19	/	45CM	560µm	Alu for suture
8132	4/0	1/2	T	16	/	45CM	430µm	Alu for suture
8133	6/0	3/8	T	12	/	45CM	430µm	Alu for suture
8134	10/0	3/8	SP	6	/	15CM	150µm	Alu for dogbone
8135	10/0	3/8	SP	6	DA	30CM	150µm	Alu for dogbone
8136	5/0	3/8	T	12	DA	45CM	430µm	Alu for dogbone
8137	10/0	3/8	R	5	/	15CM	150µm	Alu for dogbone
8138	6/0	3/8	T	12	/	45CM	280µm I	Alu for suture
8139	6/0	1/4	SP	8	DA	45CM	330µm I	Alu for dogbone
8140	6/0	3/8	T	12	DA	45CM	280µm	Alu for dogbone
8142	5/0	1/4	SP	8	/	45CM	330µm I	Alu for suture
8143	5/0	3/8	R	13	DA	45CM	440µm I	Alu for dogbone
8144	7/0	1/2	SP	6	DA	45CM	200µm	Alu for dogbone
8146	6/0	1/4	SP	8	/	45CM	240µm	Alu for suture



8153	5/0	3/8	T	12	DA	30CM	430µm	Dogbone for Alu
------	-----	-----	---	----	----	------	-------	-----------------

GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

-----25/09/2020-----

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

DocuSigned by:

Fatimazabra MESKINI

1609AB20976548A...



S00Axxx	DENTABS							
	USP	Curvature	Tip	Needle length	Double armed	Thread length	Particularity packaging	Subfamily
S00A319	3/0	3/8	T	19	/	70CM	/	Alu for suture
S00A413	4/0	3/8	T	13	/	70CM	/	Alu for suture
S00A416	4/0	3/8	T	16	/	70CM	/	Alu for suture
S00A420	4/0	1/2	T	20	/	70CM	/	Alu for suture
S00A511	5/0	3/8	T	11	/	70CM	/	Alu for suture
S00A515	5/0	1/2	T	15	/	70CM	/	Alu for suture

GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

-----25/09/2020-----



GMED (0459) recognizes that its EC certificate is valid for the medical devices listed

DocuSigned by:

Fatimazahra MESKINI

UGO9AB20976548A...



RÉDACTEUR / REDACTOR DATE, NAME AND VISA	RELECTEUR / REVIEWER DATE, NAME AND VISA
ROUGIER MARJORIE Regulatory Affairs specialist 2020-03-31 	HALFON THOMAS R&D Manager 2020-03-31 

GMED (0459) reconnaît que son certificat CE est valide pour les dispositifs médicaux décrits

-----25/09/2020----- DocuSigned by: **Fatimazahra MESKINI**

GMED (0459) recognizes that its EC certificate is valid for the medical devices listed



HISTORY		Version																				
<p align="center">References</p> <p align="center">Création</p> <p align="center">Reprise des informations de l'annexe de la DECCE070G-31 V1 du 31/08/2018 pour le DT/SU/07 (seule la gamme associée au DT/SU/01 reste dans cette déclaration CE)</p> <table border="1"> <thead> <tr> <th>References</th> <th>Designation</th> </tr> </thead> <tbody> <tr> <td>18S20P</td> <td>OPTIME 3/0 DRT T60 75CM</td> </tr> <tr> <td>18S20AR</td> <td>OPTIME 3/0 1/2 R22 90CM</td> </tr> <tr> <td>18S30AJ</td> <td>OPTIME 2/0 1/2 R26 90CM</td> </tr> <tr> <td>18I10R</td> <td>OPTIME 5/0 3/8 T13 75CM I</td> </tr> <tr> <td>18S40AX</td> <td>OPTIME 1 1/2 R17 75CM</td> </tr> <tr> <td>12S10G</td> <td>OPTIME R 5/0 3/8 T19 75CM</td> </tr> <tr> <td>14S07N</td> <td>MONOTIME 6/0 3/8 R11 DA 70CM</td> </tr> <tr> <td>14S10T</td> <td>MONOTIME 5/0 3/8 R11 DA 70CM</td> </tr> <tr> <td>15D30AB</td> <td>ADVANTIME 2/0 DTEXT60 70CM I</td> </tr> </tbody> </table>		References	Designation	18S20P	OPTIME 3/0 DRT T60 75CM	18S20AR	OPTIME 3/0 1/2 R22 90CM	18S30AJ	OPTIME 2/0 1/2 R26 90CM	18I10R	OPTIME 5/0 3/8 T13 75CM I	18S40AX	OPTIME 1 1/2 R17 75CM	12S10G	OPTIME R 5/0 3/8 T19 75CM	14S07N	MONOTIME 6/0 3/8 R11 DA 70CM	14S10T	MONOTIME 5/0 3/8 R11 DA 70CM	15D30AB	ADVANTIME 2/0 DTEXT60 70CM I	<p>V0 27/05/2019</p>
References	Designation																					
18S20P	OPTIME 3/0 DRT T60 75CM																					
18S20AR	OPTIME 3/0 1/2 R22 90CM																					
18S30AJ	OPTIME 2/0 1/2 R26 90CM																					
18I10R	OPTIME 5/0 3/8 T13 75CM I																					
18S40AX	OPTIME 1 1/2 R17 75CM																					
12S10G	OPTIME R 5/0 3/8 T19 75CM																					
14S07N	MONOTIME 6/0 3/8 R11 DA 70CM																					
14S10T	MONOTIME 5/0 3/8 R11 DA 70CM																					
15D30AB	ADVANTIME 2/0 DTEXT60 70CM I																					
<p>Addition of references:</p> <table border="1"> <thead> <tr> <th>References</th> <th>Designation</th> </tr> </thead> <tbody> <tr> <td>18S30AW</td> <td>OPTIME 2/0 1/2KL48 90CM</td> </tr> <tr> <td>12S15T</td> <td>OPTIME R 4/0 1/2 R16 75CM</td> </tr> <tr> <td>15S30AC</td> <td>ADVANTIME 2/0 5/8 R26 70CM</td> </tr> <tr> <td>18S35AV</td> <td>OPTIME 0 1/2 R26 90CM</td> </tr> </tbody> </table>		References	Designation	18S30AW	OPTIME 2/0 1/2KL48 90CM	12S15T	OPTIME R 4/0 1/2 R16 75CM	15S30AC	ADVANTIME 2/0 5/8 R26 70CM	18S35AV	OPTIME 0 1/2 R26 90CM	<p>V1 15/10/2019</p>										
References	Designation																					
18S30AW	OPTIME 2/0 1/2KL48 90CM																					
12S15T	OPTIME R 4/0 1/2 R16 75CM																					
15S30AC	ADVANTIME 2/0 5/8 R26 70CM																					
18S35AV	OPTIME 0 1/2 R26 90CM																					
<p>Addition of references:</p> <table border="1"> <thead> <tr> <th>References</th> <th>Designation</th> </tr> </thead> <tbody> <tr> <td>15D15T</td> <td>ADVANTIME 4/0 3/8XT19 70CM</td> </tr> <tr> <td>15D20W</td> <td>ADVANTIME 3/0 3/8XT24 70CM</td> </tr> <tr> <td>15D30AD</td> <td>ADVANTIME 2/0 3/8XT30 70CM</td> </tr> </tbody> </table> <p>EQ/RD/60 approval: 06/02/2020</p> <p>Removal of references:</p> <table border="1"> <thead> <tr> <th>References</th> <th>Designation</th> </tr> </thead> <tbody> <tr> <td>12X15H</td> <td>OPTIME R 4/0 3/8KL16 75CM</td> </tr> <tr> <td>12X20B</td> <td>OPTIME R 3/0 3/8T 24 75CM</td> </tr> <tr> <td>12X20C</td> <td>OPTIME R 3/0 3/8KL18 75CM</td> </tr> <tr> <td>12X20F</td> <td>OPTIME R 3/0 3/8 T19 75CM</td> </tr> </tbody> </table>		References	Designation	15D15T	ADVANTIME 4/0 3/8XT19 70CM	15D20W	ADVANTIME 3/0 3/8XT24 70CM	15D30AD	ADVANTIME 2/0 3/8XT30 70CM	References	Designation	12X15H	OPTIME R 4/0 3/8KL16 75CM	12X20B	OPTIME R 3/0 3/8T 24 75CM	12X20C	OPTIME R 3/0 3/8KL18 75CM	12X20F	OPTIME R 3/0 3/8 T19 75CM	<p>V2 2020-03-31</p>		
References	Designation																					
15D15T	ADVANTIME 4/0 3/8XT19 70CM																					
15D20W	ADVANTIME 3/0 3/8XT24 70CM																					
15D30AD	ADVANTIME 2/0 3/8XT30 70CM																					
References	Designation																					
12X15H	OPTIME R 4/0 3/8KL16 75CM																					
12X20B	OPTIME R 3/0 3/8T 24 75CM																					
12X20C	OPTIME R 3/0 3/8KL18 75CM																					
12X20F	OPTIME R 3/0 3/8 T19 75CM																					



12X30AL	OPTIME R 2/0 1/2KL36 90CMFORT	
12X30C	OPTIME R 2/0 3/8 T24 75CM	
12X30D	OPTIME R 2/0 3/8T 30 90CM	
12X35A	OPTIME R 0 1/2KL36 90CM	
12X35C	OPTIME R 0 3/8T 30 90CM	
12X35D	OPTIME R 0 1/2R 36 75CM	

SD stands for a private label